



**BLACK
CURRANT**

LE ELECTRONICS Pvt. Ltd.

**Product name: Voltage Monitoring Relay (VMR)
(45 mm series with Display)**



Model No: (VMR-45)

Features:

- True rms measurement
- Fault indication for UV, OV, UBV, RPV, SPPV*
- True phase difference measurement
- Programmable display scan speed
- 32- bit microcontroller based design
- 12-bit ADC
- Compact, robust and light weight design
- Universal range auxiliary supply
- 3 Seven Segment Displays to display voltage of the three phases
- In built trip relay
- Individual delay settings for each fault
- Selectable Single phase or 3 phase operation
- Auto / Manual / Remote reset with onboard reset switch

Technical specifications:

Measurement type:	3 Phase: 3wire / 4 wire Single Phase: 2 wire
AC Auxiliary supply:	90V AC to 270V AC, 50/60 Hz
Input Voltage Range:	50 V AC to 550 V AC
Input Frequency:	30 to 90 Hz
Resolution:	1
Burden on Line:	0.05 VA per phase (Maximum)
Burden on Aux:	2 VA (Maximum)
Accuracy class:	0.5%
Measurement:	<i>True RMS Measurement</i>
Display Scan Time:	1 – 9 seconds Programmable
Display Scrolling:	Auto / Manual
Display Type:	7 segment LED; Height: 0.5"
Digits:	3 digits
Dimensions (L x B x H mm):	110 mm, 45 mm, 75 mm Approximately
Mounting (L x W):	35 mm din rail mounting
Weight:	Grams
Humidity:	< 95 % non- condensing
Temperature:	Operating: 0° to 50° C Storage: -20° to 75° C
Voltage Trip Setting:	Under Voltage: 50 to 525 Volts AC Over Voltage: 75 to 550 Volts AC
Trip Time Delay:	Settable
Power on Delay:	Settable
Relay Contact rating:	230VAC, 5A Max, NO-C-NC

Applications:

- Generator Control Panel
- Distributive Control panel
- Electrical Control Panel
- Generator Sets
- Test Bench
- APFC Panel
- Energy Management
- Motor Control

- Auto Mains Failure Panels
- Battery Charger Panels
- Inverter Panels, UPS

Terminal connection

Contact:



LE ELECTRONICS PVT LTD

228, Yogi Industrial Estate,
Ram Mandir Road, Goregaon (West),
Mumbai – 400104.

Email: sales@leela-electronics.com, leelaelectronicsales1@gmail.com

Tel: 022-66949994
022-40030077
Fax: 022-40039757

- * UV- Under Voltage,
OV- Over Voltage,
UBV- Unbalanced Voltage,
RPV- Reverse phase Voltage,
SPPV- Single Phase Voltage Protection,